

Message

From: Nonresponsive based on revised scope [redacted]@tetrattech.com]
Sent: 12/15/2020 3:48:39 PM
To: McCauley, Joanna [McCauley.Joanna@epa.gov]
CC: Nonresponsive based on revised scope [redacted]@tetrattech.com]; Nonresponsive based on revised scope [redacted]@tetrattech.com]; Esposito, Karen [esposito.karen@epa.gov]; Wagner, Christine [Wagner.Christine@epa.gov]
Subject: 103X9034012010003 BACKUP NOV20-Shiloh Church Rd Removal ASSESSMENT Support
Attachments: 103X9034012010003 0100-2695-3912.pdf; 103X9034012010003 0100-2696-3049.pdf; 103X9034012010003 0100-2700-7734.pdf; 103X9034012010003 0100-2700-8640.pdf; 103X9034012010003 0100-2701-9200.pdf; 103X9034012010003 85176633.pdf

Joanna,

Attached (6) is backup for the Shiloh Church Rd Removal Assessment Support TD. Please note the attached backup may include additional receipts since Tetra Tech systems pulls all receipts. Due to this, please refer to the actual Nov 2020 invoice as the main document for your review and not the additional backup/receipts that you may encounter.

Thank you,



Nonresponsive based on revised scope

Tetra Tech | EMI Division | 240 Continental Dr., Suite 200, Newark, DE 19713 | www.tetrattech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.